

Schröder
Experts in lightability™

Poles & brackets

Robust and elegant solutions to create the perfect match








POLES & BRACKETS



“ Design consistency and elegance for urban landscapes ”







POLES & BRACKETS

RANGE

POLES




DESCOBERTAS



THYLIA



FLEXIA



STYLAGE



NUN'ÁLVARES



PERLA



FUNCTIONAL
POLES

BRACKETS



ANDO



BOREAL



CONDOR




DIO




ELAYA



EQUINOXE



EVENS



FLO



ITO



KEMA




KORDA



LUCEA



LUTECIA



LYRE YOA



MILLA



SOFIA



SAINT REMY




STADIO



STYLAGE



TRESSA



VECTOR



YOHO

DESCOBERTAS

DESCRIPTION


The DESCOBERTAS wooden columns contribute to creating a pleasant atmosphere by combining wood and metal. They are available in circular or square variants with lengths ranging from 4m to 8m.

The woods used in our columns are FSC and PEFC certified. For more detailed technical information and the availability of custom variants, please contact your local sales representative.

RECOMMENDED LUMINAIRES



DIMENSIONS



	A	4m	6m	8m
	B	1200mm	1500mm	1500mm
Circular	Ø	140mm	140mm	194mm
Square	◻	120mm	120mm	140mm

COLOUR/WOOD RANGE




THYLIA

DESCRIPTION

The uniquely designed THYLIA pole, combined with one of our luminaires (such as TECEO S), has been a Schröder exclusive for many years. The range is perfect for lighting roads, pedestrian areas or squares. The standard offering consists of a base part available in 4 different design materials, combined with straight or curved arms. One, two, three or four poles can be mounted on a base. A faceted steel base and a steel wall bracket are available.

VARIANTS



	Upright height: 1600mm (HF 4200)		Upright height: 3600mm (HF 6200)			Upright height: 5500mm (HF8100)		
	straight	1 curved	straight	1 curved	2 curved	straight	1 curved	2 curved
THYLIA standard steel E[AR] 1 or 2 uprights	X	X	X	X	X	X	X	X
THYLIA maxi steel E[AR] 3 or 4 uprights	-	X	-	X	X	-	X	X
THYLIA smooth cast iron E[F] 1 or 2 uprights	X	X	X	X	X	X	X	X
THYLIA smooth cast iron E[FS] 1 or 2 uprights	X	X	X	X	X	X	X	X



FLEXIA

DESCRIPTION

Created in collaboration with VALMONT Structures, the range of FLEXIA poles complements the FLEXIA luminaires, offering complete lighting ensembles, fully consistent for your applications. Particular care has been taken in the design of this range to ensure the most homogeneous associations possible between the pole, the SOFIA bracket (if applicable) and the FLEXIA luminaire.

The poles are available in different materials (aluminium, galvanised or corten steel, and wood) and with different design options to suit your local needs. The result is an almost infinite number of possible combinations, available in all standard Schröder colours. Certified for the loads defined in the EN40 standard, the FLEXIA POLES range is CE marked.

ASSOCIATED LUMINAIRES



FLEXIA TOP



FLEXIA BRASO



FLEXIA FG



FLEXIA POEME



FLEXIA QUERCUS




	Height	Spigot on top
Conical steel	4 - 6 - 8m	Ø60/Ø76
Conical aluminium	4 - 6 - 8m	Ø60/Ø76
Conical corten sealed steel	4 - 6 - 8m	Ø60/Ø76
Conical wood NEMUS	4 - 6 - 8m	Ø60/Ø76
Conical wood MIVAT	4 - 6 - 8m	Ø60/Ø76
Square round wood KLAXE	4 - 6 - 8m	Ø60/Ø76





AESTHETIC DETAILS



NEMUS
Optional collar



NEMUS
Optional vertical flutes



MIVAT
Sculpted column



KLAXE
Square to round shape



Conical steel
and conical aluminium



Conical corten
sealed steel



Conical wood
NEMUS



Conical wood
MIVAT




Square round
wood KLAXE

STYLAGE

DESCRIPTION

The STYLAGE luminaire is offered with a modern column in thermo-formed aluminium (60mm spigot) or a bracket for suspended or post-top mounting. Its aesthetic coherence and elegance characterise this ensemble.

VARIANTS



DIMENSIONS

	3.5m	4m	5m
STYLAGE	X	X	X


Available with a base plate or for ground-recessed mounting.



DESCRIPTION

The PERLA's sober and pure line plays an important aesthetic role both by day and at night. Specifically designed for this elegant luminaire, a galvanised steel column is available in various heights, with or without a rear bracket for pavement lighting.

VARIANTS



DIMENSIONS

	3.5m	4m	4.5m	5m	6m
1 PERLA luminaire (1 door)	X	X	X	X	X
2 PERLA luminaires (2 doors)	-	-	X	X	X

Available with a base plate or for ground-recessed mounting.

PERLA



NUN'ÁLVARES

DESCRIPTION

The NUN'ÁLVARES columns are composed of rectangular profiles with a longitudinal opening at the top of the pole. The large models - with rear bracket - are suitable both for lighting both large avenues and pavements. Available with two bracket sizes, they offer the flexibility to project light onto the road from various distances.

The small models can be installed along streets and squares in city centres. Aesthetic coherence between the suburbs and the city centre is one of the main advantages provided by the NUN'ÁLVARES range.

RECOMMENDED LUMINAIRES




DIMENSIONS

LARGE MODELS

Pole with
bracket 1000


Pole with bracket
1500 + rear bracket
for sidewalk



SMALL MODELS

Pole for single
mounting

Pole for double
mounting



(*) Other dimensions available on request




FUNCTIONAL POLES

DESCRIPTION

With a range of poles combined with a large portfolio of luminaires and brackets, Schröder offers complete light points for your application. The standard pole offering consists of 5 different shapes, with heights ranging from 3 to 14m, made of aluminium or galvanised steel, and always adapted to your local market requirements. The poles can be ordered from Schröder or via one of our local partners. For more detailed technical information and the availability of custom variants, please contact your local sales representative.

POLE VARIANTS*

*Other poles available on request



Available with a base plate or for ground-recessed mounting.




Height (m)	Round conical (top diameter in mm)				Cylindrical			Step poles		Octogonal conical (top diameter in mm)	Round conical aluminium (top diameter in mm)
	Ø60	Ø76	Ø89	Ø106	Ø89	Ø102	Ø114	Ø 140 / Ø89	Ø 140 / Ø60	Ø60	Ø60
3	X	-	-	-	X	-	-	X	X	X	X
3.5	X	X	-	-	X	-	-	X	X	X	X
4	X	X	-	-	X	X	X	X	X	X	X
4.5	X	X	-	-	X	X	X	X	X	X	X
5	X	X	-	-	X	X	X	X	X	X	X
5.5	X	-	-	-	-	X	X	X	X	X	-
6	X	X	X	-	-	X	X	-	-	X	X
7	X	X	X	X	-	-	-	-	-	X	X
8	X	X	X	X	-	-	-	-	-	X	X
9	X	X	X	X	-	-	-	-	-	X	X
10	X	X	X	X	-	-	-	-	-	X	X
12	X	X	X	X	-	-	-	-	-	X	X
14	-	-	X	X	-	-	-	-	-	-	-

The combination of these poles with post-top brackets or luminaires should be mechanically checked according to local standards.



ANDO

Design: Michel Tortel




RANGE




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1	840mm 33"	L2	595mm 23"
	1310mm 52"		1110mm 44"
Ø1	76mm 3"		

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm



BOREAL BRACKET


Design: Laurent Fachard



RANGE


6m / 20'

4m / 13'




DIMENSIONS


SINGLE BRACKET



DOUBLE BRACKET



WALL BRACKET



L1 1200mm | 47"

Ø1 Suspended 1" female

Ø2 89mm | 3.5"

RECOMMENDED LUMINAIRES




GENERAL INFORMATION

Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Suspended 1" gas male




CONDOR

Design: Elizabeth de Portzamparc




RANGE




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL BRACKET



L1	1150mm 45"	Ø1	60mm 2.5"
	1650mm 65"		89mm 3.5"
L2	1150mm 45"		


RECOMMENDED LUMINAIRES




HESTIA

GENERAL INFORMATION


Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Specific for HESTIA



DIO




RANGE




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1	415mm 16"	Ø1	60mm 2.5"
	1500mm 59"		76mm 3"
L2	415mm 16.5"		

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm Side-entry penetrating Ø60mm



ELAYA

Design: Michel Tortel



RANGE

10m / 32'

8m / 26'


6m / 20'

4m / 13'




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1	480mm 19"	Ø1	60mm 2.5"
	1100mm 43"		76mm 3"
L2	480mm 19"		

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm Side-entry penetrating Ø60mm
Decorative option	Integrated static coloured LEDs




ÉQUINOXE

Design: Jean-Michel Wilmotte




RANGE




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1	1330mm 52.5"	L2	1280mm 61"
	1830mm 72"	Pole Ø	110mm 4.5"
	2940mm 104.5"		

RECOMMENDED LUMINAIRES



CITEA NG2



FLEXIA

GENERAL INFORMATION


Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry 40x40 square



EVENS




RANGE




DIMENSIONS


POST-TOP FOR
SIDE-ENTRY
MOUNTING Ø60




POST-TOP
WITH CITEA
NG2




POST-TOP
WITH FLEXIA



WALL BRACKET FOR
SUSPENDED LUMINAIRE



WALL BRACKET FOR
POST-TOP LUMINAIRE



L1	580mm 23"	L2	550mm 21.5"
Ø1	76mm 3"		

GENERAL INFORMATION


Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm Side-entry 40x40 square Suspended 1" gas male Post-top slip-over - Ø60mm

RECOMMENDED LUMINAIRES



ELO

Design: Michel Tortel



RANGE

10m / 32'

9m / 30'

8m / 26'

7m / 22'

6m / 20'


5m / 16'

4m / 13'




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1	790mm 31"	L2	1250mm 49"
	1250mm 49"	Ø1	76mm 3"

RECOMMENDED LUMINAIRES



GENERAL INFORMATION


Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm Side-entry penetrating Ø60mm



ITO





RANGE





DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1	750mm 30"	L4	150mm 6"
	1250mm 49"	L5	300mm 12"
L2	100mm 4"	Ø1	76mm 3"
L3	750mm 30"		

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Galvanised steel
Finishing	Liquid paint
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm



KEMA




RANGE

10m / 33'


8m / 26'

6m / 20'




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1 1115mm | 44" Ø1 76mm | 3"

L2 514mm | 20.2"

GENERAL INFORMATION


Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm Side-entry penetrating Ø60mm

RECOMMENDED LUMINAIRES




KORDA

Design: Michel Tortel




RANGE




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1	250mm 10"	L2	250mm 10"
	500mm 20"		500mm 20"
	750mm 30"		750mm 30"
	1000mm 40"		1000mm 40"
	1250mm 50"	Ø1	60/76mm 2.5"/3"
	1250mm 50"		

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Galvanised steel
Finishing	Liquid paint
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm Side-entry penetrating Ø60mm



LUCEA

Design: Michel Tortel




RANGE

10m / 32'


9m / 29'

4m / 13'




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1	1500mm 60"	L2	710mm 28"
	1600mm 63"	Ø1	76mm 3"

RECOMMENDED LUMINAIRES



YOA

GENERAL INFORMATION

Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Stirrup fork prepared (YOA specific)




LUTECIA

Design: Jean-Michel Wilmotte




RANGE




DIMENSIONS

SINGLE BRACKET



DOUBLE BRACKET



WALL/REAR BRACKETS



L1	1700mm 67"	Ø1	120mm 4.5"
L2	245mm 9.7"		
L3	240mm 9.5"	Ø2	100mm 4"

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Galvanised steel or aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry 40x40 square



LYRE YOA



Design: Michel Tortel



RANGE


4m / 13'

3m / 10'




DIMENSIONS

WITH EMBELLISHMENT



WITHOUT EMBELLISHMENT



L1	565mm 22"	L3	460mm 18"
L2	850mm 33.5"	Ø1	76mm 3"

RECOMMENDED LUMINAIRES



YOA

GENERAL INFORMATION

Material	Aluminium or galvanised steel (variants without embellishment)
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Stirrup fork prepared (YOA specific)




MILLA



RANGE


8m / 26'

4.5m / 14.8'




DIMENSIONS


SINGLE BRACKET



DOUBLE BRACKET



WALL/REAR BRACKETS



L1	1200mm 47"	Ø1	76mm 3"
L2	500mm 20"		

GENERAL INFORMATION

Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm Side-entry penetrating Ø60mm

RECOMMENDED LUMINAIRES



SOEIA

Design: iOL Design



RANGE

8m / 26'



6m / 20'




4m / 13'




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1	400mm 16"	Ø1	60mm 2.5"
	1200mm 47"	Ø1	76mm 3"
L2	415mm 16.5"		

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	No mounting (FLEXIA specific)



SAINT REMY



RANGE

7m / 23'


6m / 19,7'

3.5m / 9'8"




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1	500mm 20"	Ø1	60mm 2.5"
	1000mm 40"		

RECOMMENDED LUMINAIRES




GENERAL INFORMATION


Material	Galvanised steel
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm Side-entry penetrating Ø60mm



STADIO




RANGE




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS



WALL/REAR BRACKETS



L1	500mm 20"	Ø1	60mm 2.4"
	1000mm 40"		
	1500mm 60"		

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Galvanised steel
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm Side-entry penetrating Ø60mm




STYLAGÉ

Design: Michel Tortel




RANGE


8m / 26.2'



6m / 19.7'



5m / 16.4'




4m / 13.1'




DIMENSIONS

SINGLE BRACKETS




DOUBLE BRACKETS



REAR BRACKET



WALL BRACKET



L1	980mm 38.5"	L2	976mm 38.5"
	1530mm 60"	Ø1	76mm 3"

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Suspended 1" gas male



TRESSA

Design: Michel Tortel



RANGE

9m / 30'


8m / 26'

4m / 13'




DIMENSIONS


SINGLE BRACKET



DOUBLE BRACKET



WALL/REAR BRACKETS



L1	1320mm 52"	Ø1	76mm 3"
L3	480mm 19"		

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm Side-entry penetrating Ø60mm
Decorative option	Integrated static coloured LEDs



VECTOR




RANGE




DIMENSIONS


SINGLE BRACKET



DOUBLE BRACKET



WALL/REAR BRACKETS



L1	1200mm 47"	Ø1	76mm 3"
L2	775mm 30.5"		
	1225mm 48"		

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Galvanised steel
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm Side-entry penetrating Ø60mm



YOHO

Design: Michel Tortel




RANGE

8m / 26'


6m / 20'

4.5m / 13'




DIMENSIONS


SINGLE BRACKETS



DOUBLE BRACKETS




WALL/REAR BRACKETS



L1	850mm 33.5"	L3	747mm 29.5"
	1200mm 47"	Ø1	76mm 3"
L2	990mm 39"		
	1340mm 53"		

RECOMMENDED LUMINAIRES



GENERAL INFORMATION

Material	Aluminium
Finishing	Polyester powder coating
Colour	AKZO 900 grey sanded Any other RAL or AKZO colour
Seaside coating	Available on request
Cable puller	Included as an option
Luminaire mounting compatibility	Side-entry slip-over Ø60mm



Schröder

Experts in lightability™



www.schreder.com

Copyright © Schröder S.A. 2023 - Executive Publisher: Stéphane Halleux - Schröder S.A. - rue de Mons 3 - B-4000 Liège (Belgium) - The information, descriptions and illustrations herein are of only an indicative nature. Schröder gives no assurance that information, data or descriptions herein are accurate, reliable, complete, up-to-date, merchantable or fit for purpose, and expressly excludes any guarantee, representation or liability (whether implied, express or statutory) in connection therewith. Due to advanced developments, we may be required to alter the characteristics of our products without notice. As these may present different characteristics according to the requirements of individual countries, we invite you to consult us.